

imageCLASS
MF752Cdw
MF756Cx

Canon

Delighting You Always



Vibrant Colours with Smart Innovation

The MF752Cdw and MF756Cx colour laser printers allow businesses to boost creativity and efficiency in the workplace with printing versatility. Increase productivity through fast print speeds with impressive visuals.

UP TO
33 PPM
(A4)
FAST PRINT
SPEED

UP TO
100 PPM
(A4)
DUPLEX
SCAN


WIRELESS
CONNECTIVITY

MONO
UP TO **7,600**
PAGES
HIGH-YIELD CARTRIDGES

COLOUR
UP TO **5,500**
PAGES
HIGH-YIELD CARTRIDGES

Business Can Be Simple



Greater Efficiency and Performance

MF752Cdw
(Print • Scan • Copy)

MF756Cx
(Print • Scan • Copy • Fax)



Enhanced Swift Quality Printing

Experience increased productivity as A4 documents are printed swiftly at a print speed of 33ppm and up to 60ppm for A5 documents.



Fast Duplex Scan

Optimise time by scanning 2-sided documents simultaneously with an impressive scan speed of 100 ipm (mono) / 80 ipm (colour). For added convenience, the Skip Blank Page function eliminates the need to remove blank pages after scanning.



Cloud Scanning and Printing

For ease of collaboration, connect to a third-party cloud storage application (Dropbox, Google Drive and Microsoft OneDrive) to print directly or store scanned documents.

V² COLOUR

Vivid & Vibrant Printouts

V² Colour Technology delivers captivating vivid and vibrant colour prints that will leave an impactful impression.



Application Library

Improve workflow efficiency and simplify routine tasks by utilising a suite of customisable functions. With Print File From Server, you can store frequently-used documents within a local network and print when required.

Intuitive And Convenient Design



Easy Navigation With Clarity

Enjoy greater viewing flexibility and intuitive navigation with the 5-inch vari-angle colour touchscreen LCD display.



Customisable For Any Workflow

Simply drag and drop the applications to customise the home screen according to your office workflow.



Easy Maintenance

Experience hassle-free toner cartridge replacements with the all-in-one toner cartridge which incorporates the toner reservoir, photosensitive drum and cleaning unit in one body.

Safeguard Against Security Vulnerability

Data Encryption and Security

The latest security protocol, TLS 1.3, encrypts communication data and protects against spoofing and eavesdropping.



Monitor System Integrity

Prevent unauthorised system modifications with Verify System at Startup. The integrity of device firmware and applications will be checked during startup.

SPECIFICATIONS

PRINT		MF752Cdw (3-in-1)	MF756Cx (4-in-1)
Printing Method		Colour Laser Beam Printing	
Print Speed	A4	33 ppm (Mono / Colour)	
	Letter	35 ppm (Mono / Colour)	
	2-Sided	29 ppm (Mono / Colour)	
Print Resolution		600 x 600 dpi	
Print Quality with Image Refinement Technology		1,200 x 1,200 dpi (equivalent)	
Warm-Up Time (From Power On)		14 sec or less	
First Print Out Time (FPOT)	A4	7.1 sec (Mono / Colour)	
	Letter	7.0 sec (Mono / Colour)	
Recovery Time (From Sleep Mode)		5.3 sec or less	
Print Language		UFR II, PCL 6	UFR II, PCL 6, Adobe® PostScript® 3™
Auto Duplex Print		Yes	
Print Margins		Top/Bottom/Left/Right Margin: 5 mm Top/Bottom/Left/Right Margin: 10 mm (Envelope)	
Supported File Format for USB Direct Print		JPEG, TIFF, PDF	
COPY			
Copy Speed	A4	33 ppm (Mono / Colour)	
	Letter	35 ppm (Mono / Colour)	
Copy Resolution		600 x 600 dpi	
First Copy Time (FCOT)	A4	7.6 / 8.8 sec (Mono / Colour)	
	Letter	7.4 / 8.6 sec (Mono / Colour)	
ADF			
Maximum Number of Copies		Up to 999 copies	
Reduce/Enlargement		25 – 400% in 1% increments	
Copy Features		Frame Erase, Collate, 2 on 1, 4 on 1, ID Card Copy, Passport Copy	
SCAN			
Scan Resolution	Optical	Platen glass: up to 600 x 600 dpi, Feeder: up to 300 x 300 dpi	
	Driver Enhanced	Up to 9,600 x 9,600 dpi	
Scan Type		Colour Contact Image Sensor	
Maximum Scan Size	Platen Glass	Up to 216.0 x 297 mm	
	Feeder	Up to 216.0 x 355.6 mm	
Scan Speed ¹		1-Sided: 50 / 40 ipm (Mono / Colour) 2-Sided: 100 / 80 ipm (Mono / Colour)	
Colour Depth		24-bit	
Pull Scan		Yes, USB and Network	
Push Scan (Scan To PC) with MF Scan Utility		Yes, USB and Network	
Scan To USB (via USB Host 2.0)		Yes	
Scan To Cloud		MF Scan Utility, Cloud Apps (Application Library)	
Scan Driver Compatibility		TWAIN, WIA	
SEND			
SEND Method		SMB, Email, FTP	SMB, Email, FTP, iFAX
Colour Mode		Full Colour, Grayscale, Monochrome	
Scan Resolution		300 x 600 dpi	
File Format		JPEG, TIFF, PDF, Compact PDF, PDF (OCR)	

SPECIFICATIONS

FAX		MF752Cdw (3-in-1)	MF756Cx (4-in-1)
Modem Speed			Up to 33.6 Kbps
Fax Resolution			Up to 408 x 392 dpi
Compression Method			MH, MR, MMR, JBIG
Memory Capacity ²			Up to 512 pages
Favourite Dials (in address book)			19 dials
Speed Dial (Coded dials)			Up to 281 dials
Group dials / Destinations			Max. 299 dials / Max. 299 destinations
Duplex Fax (Transmission)		N/A	Yes
Sequential Broadcast			Max. 310 destinations
Receive Mode			Fax Only, Manual, Answering, Fax/Tel Auto Switch
Memory Backup			Permanent fax memory backup (backup with flash memory)
Fax Features			Fax Forwarding, Dual Access, Remote Reception, PC Fax (Transmission only), DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports
Transmission Time			Approx. 2.6 sec
PAPER HANDLING			
Auto Document Feeder (ADF)		Duplex ADF: 50 sheets (80 g/m ²)	
Available Paper Size for ADF		A4, B5, A5, A6, Letter, Legal, Statement, Business Card (min. 48.0 x 85.0 mm to max. 216.0 x 355.6 mm)	
Paper Input (Based on 80 g/m ²)	Standard Cassette	250 sheets	
	Multi-Purpose Tray	50 sheets	
	Optional Paper Feeder	550 sheets	
Maximum Paper Input Capacity		850 sheets	
Paper Output		150 sheets	
Paper Sizes	Standard Cassette	A4, B5, A5, A6, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscape, Indian Legal, Envelope (COM10, Monarch, C5, DL), Custom (min. 98.0 x 148.0 mm to max. 216.0 x 356.0 mm)	
	Multi-Purpose Tray	A4, B5, A5, A6, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscape, Indian Legal, Index Card, Envelope (COM10, Monarch, C5, DL), Custom (min. 76.0 x 127.0 mm to max. 216.0 x 356.0 mm)	
	Optional Paper Feeder	A4, B5, A5, A6, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscape, Indian Legal, Custom (min. 100.0 x 148.0 mm to max. 216.0 x 356.0 mm)	
Available Paper Size for Auto Duplex Print		A4, B5, A5, Letter, Legal, Executive, Foolscape, Indian Legal	
Paper Types		Plain, Thick, Coated, Recycled, Colour, Label, Postcard, Envelope	
Paper Weight	ADF	50 to 105 g/m ²	
	Standard Cassette / Optional Paper Feeder	60 to 200 g/m ²	
	Multi-Purpose Tray	60 to 200 g/m ²	
CONNECTIVITY & SOFTWARE			
Standard Interfaces	Wired	USB 2.0 High Speed, 10Base-T/100Base-TX/1000Base-T	
	Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS, Direct Connection)	
Network Protocol	Print	LPD, RAW, WSD-Print (IPv4, IPv6)	
	Scan	Email, SMB, WSD-Scan (IPv4, IPv6), FTP	
	TCP/IP Application Services	Bonjour (mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6)	
Network Security	Management	SNMPv1, SNMPv3 (IPv4, IPv6)	
	Wireless	IP/Mac address filtering, HTTPS, SNMPv3, IEEE802.1x, IPSEC, TLS 1.3	
Other Features	Infrastructure Mode: WEP (64/128 bit), WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA-EAP (AES), WPA2-EAP (AES), IEEE802.1x Access Point Mode: WPA2-PSK (AES)		
Mobile Solution	Department ID, Secure Print, Application Library		
Address Book	Canon PRINT Business, Canon Print Service, Apple® AirPrint®, Mopria® Print Service, Microsoft Universal Print		
Compatible Operating Systems ³	LDAP		
Software Included	Windows®, Windows Server®, Mac® OS, Linux ⁴		
		Printer driver, Scanner driver, MF Scan Utility, Toner Status	Printer driver, Fax driver, Scanner driver, MF Scan Utility, Toner Status
GENERAL			
Device Memory		1 GB	
Display		WVGA Colour LCD 5-inch Touch Screen Display	
Dimensions (W x D x H)		425 x 461 x 430 mm	
Weight		21.7 kg	22.0 kg
Power Consumption	Maximum (Operation)	1,380 W or less	
	Average (Operation)	700 W	
	Average (Standby)	24.0 W	
	Average (Sleep)	1.0 W (USB/Wired/Wireless)	
Operating Environment	Temperature	10 – 30°C	
	Humidity	20% – 80% RH (no condensation)	
Power Requirements		AC 220 – 240 V (+/-10%), 50/60 Hz (+/-2 Hz)	
Toner Cartridge ⁵	Standard	Cartridge 069 BK: 2,100 pages (bundled: 2,100 pages) Cartridge 069 CMY: 1,900 pages (bundled: 1,100 pages)	
	High	Cartridge 069H BK: 7,600 pages Cartridge 069H CMY: 5,500 pages	
Monthly Duty Cycle ⁶		50,000 pages	
OPTIONAL ACCESSORIES			
Paper Feeder		Paper Feeder PF-K1 (550 sheets)	
Barcode Printing		N/A	Barcode Printing Kit-E1E

¹ Speed of scanning via the document feeder, A4 size, scan resolution 300 x 300 dpi.

² Based on ITU-T #1 Chart (standard mode).

³ ScanGear is not available for Windows Server 2003/2008/2012.

⁴ The latest drivers for Windows, Windows Server, Mac OS and Linux can be downloaded from the <https://asia.canon> website when available.

⁵ Toner cartridge yield is in accordance with ISO/IEC 19798.

⁶ Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon multi-function laser devices, and does not refer to actual maximum image output per month.



Delighting You Always

**SOUTH AND SOUTHEAST ASIA REGIONAL HEADQUARTERS
CANON SINGAPORE PTE. LTD.**

1 Fusionopolis Place, #14-10 Galaxis, Singapore 138522

Tel : 65-6799-8888 | Fax : 65-6799-8882 | <https://asia.canon>

DEALER'S STAMP

This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and product names are trademarks and/or registered trademarks of their respective owners.