

imageCLASS  
LBP712Cx

Canon

Delighting You Always



DISCOVER THE TRUE COLOURS OF

**BUSINESS  
PRINTING**

VIVID IMAGES FOR VIBRANT BUSINESS PRINTS

Business *Can* be simple

## Business printing made colourful

Discover new facets to business printing with the new imageCLASS LBP712Cx laser colour printer. Offering rapid print speeds up to 38ppm, high-yield toner cartridges, and maximum paper capacity up to 2,300 sheets, this workhorse is ideal for heavy-duty print environments. The printer also comes with Canon's new V<sup>2</sup> colour profile, capable of producing vivid, striking images that are sure to lend new vibrancy to your business prints.



### Professional-Looking Colour Documents at Fast Speeds

**38 38**  
Black Colour  
ppm

5.1  
SECS

MONOCHROME

6.0  
SECS

COLOUR

Spend less time waiting for documents with print speeds of up to 38ppm (A4) in both monochrome and colour. Incorporating Canon's proprietary On-Demand Fixing technology, the imageCLASS LBP712Cx is capable of producing the first printout (monochrome/colour) in approximately 5.1/6.0 seconds, allowing you to get more done in less time.

### Impressive Paper Handling



Limit interruptions with up to three additional 550-sheet paper cassettes, bringing the maximum paper input capacity to a hefty 2,300 sheets. The availability of additional paper cassettes enables users to configure the printer accordingly to meet their printing needs, and reduces the frequency to replenish paper.



### Operate with Ease



Featuring a 5-line LCD display, the imageCLASS LBP712Cx allows you to view more menu options at one glance, as well as guided animated instructions on how to respond when error occurs. The user-friendly tiltable display allows users to view from different angles, enabling better visibility.



### Print Accounting & Security



Department ID management offers basic print accounting for each department as well as access authorisation. With the Secure Print\* function, users are able to protect their confidential documents from being seen by unauthorised users with password-protected print release authentication, ensuring information confidentiality.



\*optional SD Card-C1 required

## Dollar Savvy, Earth Friendly



Do your part for the environment and save cost at the same time. Features such as Auto Duplex Printing lowers costs through lesser paper consumption, while Sleep mode contributes to reduced power consumption when the printer is inactive.

## Enjoy Hassle-Free Maintenance



Enjoy fuss-free and low maintenance operation with the All-in-One Cartridge 040. The higher yield replacement cartridges help increase productivity, at the same time reduce operating costs as well as the frequency of toner replacements.

## Manage Anywhere with Remote User Interface



With the web-based Remote UI Interface, IT Administrators can now check the printer status and manage print operations in one single interface from the comfort of their own desks.



◀ SCAN TO DISCOVER  
MORE ABOUT CANON  
MOBILE SOLUTIONS

## Seamless Connectivity & Mobility

With Canon PRINT Business app, you can easily print a variety of file types from your smartphones or tablets, and enjoy the convenience of different finishing options such as two-sided printing and multiple copies. The imageCLASS LBP712Cx also supports Apple® AirPrint™, Google Cloud Print™, Mopria®, and Canon Print Service.

In addition to mobile printing capabilities, the imageCLASS LBP712Cx also features Direct Print, giving users the ability to print PDF, JPEG, TIFF and XPS files directly from a USB memory device.



## Seamless Integration with uniFLOW

### Intelligent Routing

uniFLOW can intelligently route print jobs to the next available printer in the event that the original and preferred printer breaks down. Print jobs can also be automatically routed to the most cost-efficient devices within the office.

### Print Accounting

Track and store all printing and copying jobs together with the associated costs, allowing administrators to view and control the print related operating cost.

### Print Anywhere

Confidential jobs can be held centrally on a print server and released only when the user authenticates at the device.




Diagram for illustration purposes only

## SPECIFICATIONS

PRINT		Mobile Print		Canon PRINT Business, Apple® AirPrint™, Mopria® Print Service, Google Cloud Print™, Canon Print Service		
Printing Method	Colour Laser Beam Printing	Other Features	Secure Print, USB Direct Print			
Print Speed (A4)	38 ppm / 38 ppm (mono / colour)	Compatible Operating Systems (*2)	Windows 10 [32-bit/64-bit], Windows 8.1 [32-bit/64-bit], Windows 8 [32-bit/64-bit], Windows 7 [32-bit/64-bit], Windows Vista [32-bit/64-bit], Windows Server 2012 R2 [64-bit], Windows Server 2008 R2 [64-bit], Windows Server 2008 [32-bit/64-bit], Windows Server 2003 R2 [32-bit/64-bit], Windows Server 2003 [32-bit/64-bit], Mac OS X 10.6.8 & up, Linux			
Print Resolution	600 x 600 dpi, 9600 (equivalent) x 600 dpi					
First Print Out Time (FPOT) A4	5.1 sec / 6.0 sec (mono / colour)					
Print Language	UFR II, PCL6, PostScript 3, PDF, XPS					
Warm-up Time (from power on)	31 sec or less	<b>GENERAL SPECIFICATIONS</b>				
Recovery Time (from sleep mode)	Approx. 6 sec	Device Memory	1GB			
Auto Duplex Printing	Standard	Operation Panel	5-line LCD + Numeric keys			
Available Paper Size for Auto Duplex Print (Paper Weight: 60-163g/m <sup>2</sup> )	A4, B5, A5, Legal(*1), Letter, Executive, Foolscap, Indian Legal	Dimensions (WxDxH)	458 x 464 x 388 mm			
PAPER HANDLING		Weight	approx. 24.8 kg (without cartridge)			
Paper Input (Based on 80 g/m <sup>2</sup> )	Standard Cassette	Maximum		1470 Watts		
	Multi-Purpose Tray	Average (During Operation)		590 Watts or less		
	Optional Paper Feeder	Average (During Standby)		34 Watts or less		
	Maximum Paper Capacity	Average (During Sleep)		approx. 2.4 Watts or less (USB) approx. 1.3 Watts or less (wired)		
Paper Output (Based on 64 g/m <sup>2</sup> )	200 sheets (face down)		Noise Level (*3)	During Operation		
Paper Size	Standard Cassette	A4, B5, A5, A6, Letter, Statement, Executive Custom sizes (Width:101.6 to 215.9mm Length: 148.0 to 297.0mm)		Sound Pressure Level: 50 / 51 dB (mono/colour) Sound Power Level: 6.5 / 6.6 B (mono/colour)		
	Multi-Purpose Tray	A4, B5, A5, A6, Legal(*1), Letter, Statement, Executive, Foolscap, Index Card, Indian Legal Envelope: COM10, Monarch, C5, DL Custom sizes (Width:76.2 to 215.9mm Length: 127.0 to 355.6mm)		During Standby		
	Optional Paper Feeder	A4, B5, A5, A6, Legal (*1), Letter, Statement, Executive, Foolscap, Indian Legal Custom sizes (Width:101.6 to 215.9mm Length: 148.0 to 355.6mm)		Sound Pressure Level: 36 dB Sound Power Level: 5 B		
Paper Weight	Standard Cassette	60 - 163 g/m <sup>2</sup>		Power Requirement		
	Multi-Purpose Tray	60 - 216 g/m <sup>2</sup>		AC 220-240V (±10%), 50/60 Hz (±2Hz)		
	Optional Paper Feeder	60 - 163 g/m <sup>2</sup>		Operating Environment		
Paper Type	Plain, Recycled, Colour, Heavy, Label, Postcard, Envelope		Toner Cartridge (*4)	Standard		
CONNECTIVITY & SOFTWARE	Standard Interfaces	Wired		USB2.0 High Speed, USB Host(x3), 10Base-T/100Base-TX/1000Base-T		Cartridge 040 BK: 6,300 pages (bundled: 6,300 pages) Cartridge 040 C/M/Y: 5,400 pages (bundled: 5,400 pages)
		Expansion Slot	SD Card		High	
	Network Protocol	Print	LPD, RAW, IPP/IPPS, WSD-Print (IPv4, IPv6)		Cartridge 040H BK: 12,500 pages Cartridge 040H C/M/Y: 10,000 pages	
TCP / IP Application Services		Bonjour (mDNS), HTTP, HTTPS DHCP, BOOTP, RARP, ARP+PING, Auto IP, WINS (IPv4) DHCPv6 (IPv6)		Monthly Duty Cycle (*5)		
Management		SNMPv1, SNMPv3 (IPv4, IPv6)		80,000 pages		
Network Security	Wired	IP / Mac address filtering, IEEE802.1x, SNMPv3, HTTPS, IPSEC		<b>OPTIONAL ACCESSORIES</b>		
Department ID Management	Yes, Up to 300 IDs		SD Card	SD CARD-C1		
			Barcode ROM	Barcode Print Kit-F1		
			Waste Toner	Waste Toner Box WT-B1: 54,000 pages		
			Paper Feeder	Paper Feeder PF-D1 (550 sheets)		

\*1 Legal refers to paper measuring 215.9 x 355.6mm (8.5 x14 inches)

\*2 Drivers for Mac OS or Linux can be downloaded from [www.canon-asia.com](http://www.canon-asia.com) when available

\*3 Measured in accordance with ISO 7779, declared noise emission in accordance with ISO 9296

\*4 Declared yield in accordance with ISO/IEC 19798

\*5 Monthly duty cycle value provides a means for comparison of product robustness in relation to other Canon laser devices, and does not refer to actual maximum image output per month



Delighting You Always

### SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

CANON SINGAPORE PTE. LTD.  
1 Fusionopolis Place #15-10  
Galaxis Singapore 138522

Tel: 65-6799-8888  
Fax: 65-6799-8882

[www.canon-asia.com](http://www.canon-asia.com)

### CANON OFFICES

**HONG KONG**  
Canon Hongkong Co. Ltd  
Tel : 852-3191-2388  
Fax : 852-2369-3800  
[www.canon.com.hk](http://www.canon.com.hk)

**INDIA**  
Canon India Pvt. Ltd.  
Tel : 91-124-416 0000  
Fax : 91-124-416 0011  
[www.canon.co.in](http://www.canon.co.in)

**MALAYSIA**  
Canon Marketing (Malaysia) Sdn Bhd  
Tel : 60-3-7844 6000  
Fax : 60-3-7845 0505  
[www.canon.com.my](http://www.canon.com.my)

**PHILIPPINES**  
Canon Marketing (Philippines), Inc.  
Tel : 632-884-9090  
Fax : 632-556-1456  
[www.canon.com.ph](http://www.canon.com.ph)

**SINGAPORE**  
Canon Singapore Pte. Ltd.  
Tel: 65-6799-8888  
Fax: 65-6799-8882  
[www.canon.com.sg](http://www.canon.com.sg)

**THAILAND**  
Canon Marketing (Thailand) Co. Ltd  
Tel : 66-2-344 9999  
Fax : 66-2-344 9960  
[www.canon.co.th](http://www.canon.co.th)

**VIETNAM**  
Canon Marketing (Vietnam) Co. Ltd  
Tel : 84-8-3820 0466  
Fax : 84-8-3820 0477  
[www.canon.com.vn](http://www.canon.com.vn)

### CANON BUSINESS PARTNERS

**BANGLADESH**  
J.A.N. Associates Ltd.  
Tel : 880-2 9660 601  
Fax : 880-2 8610 410  
[www.jan-bd.com](http://www.jan-bd.com)

**BRUNEI**  
Interhouse Company  
Tel : 673-2-653-001  
Fax : 673-2-653-003  
[www.ihc.com.bn](http://www.ihc.com.bn)

**CAMBODIA**  
i-Quick Marketing Co., Ltd.  
Tel : 855-23-996638  
Fax : 855-23-996639

**INDONESIA**  
P.T. Datascrip  
Tel : 62-21 2664 8999  
Fax : 62-21 6544 811/13  
[www.datascrip.com](http://www.datascrip.com)

**MALDIVES**  
SIMDI Company Pvt Ltd.  
Tel : 960-333 4421  
Fax : 960-333 4424

**MYANMAR**  
Myanmar Golden Rock International Co., Ltd  
Tel : 95-1-654810 to 19 (10 Lines),  
Fax : 95-1-654820  
Email: [sales@mgr.com.mm](mailto:sales@mgr.com.mm)

**NEPAL**  
International Electronics Concern (P) Ltd  
Tel : 977-1-442 1991  
Fax : 977-1-442 1909  
[www.iec.com.np](http://www.iec.com.np)

**PAKISTAN**  
Shirazi Trading Company (Pvt.) Ltd  
Tel : 92-21-3241 (7659), (7737) or (7746)  
Fax : 92-21-3241 (7747), (3242 0417)  
or (3242 0418)  
[www.shirazitrading.com.pk](http://www.shirazitrading.com.pk)

**SRI LANKA**  
Metropolitan Office (Pvt) Ltd  
Tel : 94-11-470 0200  
Fax : 94-11-470 0267  
[www.metropolitan.lk](http://www.metropolitan.lk)

DEALER'S STAMP

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document. Canon, imageCLASS, Business Can Be Simple and Canon PRINT Business App are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks for their respective owners. uniFLOW is an independent party software distributed by Canon Singapore Pte. Ltd.