





# **PROFESSIONAL EFFICIENCY**



#### **EASE AT EVERY TOUCH**

Navigating your MF635Cx and MF735Cx is much easier now with the vari-angle 5-inch colour touchscreen LCD. The intuitive user interface makes tasks such as copying and scanning effortless, each function is now just a tap away.



#### **RAPID SCANNING**

The single-pass Duplex Auto Document Feeder (DADF) consists of two Contact Image Sensors (CIS), allowing both sides of the document to be scanned simultaneously. This maximises scanning efficiency without any compromise in scan quality.



### APPLICATIONS FOR MAXIMUM EFFICIENCY

The MF635Cx and MF735Cx feature an Application Library packed with innovations to help you work smarter and more efficiently than ever. With the customisable options, you can store and print frequently-used forms directly from the device, or distribute your documents electronically to pre-set destinations with just a tap of the button, helping you save time from your daily work routines.



#### **PRINT WHEREVER YOU GO**

Take multi-tasking to the next level with mobile printing. You can print directly from your mobile phones or tablets with applications such as Canon PRINT Business, Apple® AirPrint®, Google Cloud Print™, Mopria®, and Canon Print Service. Simply choose an application that best fits your needs.



#### **SEAMLESS INTEGRATION WITH UNIFLOW**

uniFLOW is a print management software for all your print, scan, and device management, designed to bring the full value of multi-functional devices to the organisation. The MF635Cx and MF735Cx can integrate seamlessly into your uniFLOW print environment.



### PRODUCTIVITY AT TOP SPEED

Get your documents printed and ready to present in no time. MF635Cx does it in 12 seconds or less, with fast print speeds of 18ppm. The MF735Cx goes a notch higher with impressive print speeds of 27ppm, with the first printout in less than 8.6 seconds.

# COLOURFUL PERFORMANCE



### **VIVID & VIBRANT PRINTOUTS**

All-new  $V^2$  Colour Technology effectively produces visually stunning images and expands the colour reproduction range for prints. Expect excellent clarity and visual sharpness that command attention and leave an impactful impression during your business presentations.

# FRIENDLY MAINTENANCE

# **ECO-SAVINGS**



### **FREE OF HASSLE**

Canon All-in-One toner cartridge ensures print quality with low maintenance by integrating the photosensitive drum, cleaning unit and toner reservoir into a single cartridge. The auto toner seal removal system eliminates the need to remove the seal manually, making cartridge replacements easier than before.



### **DUPLEX PRINTING**

Print more with less using the built-in Duplex on your office printer. This function enables double-sided prints with flexible layout options, cleverly cutting down paper usage and increasing savings.



Part	SPECIFICATIONS		MF635Cx	MF735Cx		
Price   Speed   Add						
Part   Special   Latter   Up to 19 / 19 ppm (Mono/Colour)   Up to 29 / 28 ppm (Mono/Colour)	Printing Method		Colour Laser Beam	Printing		
Earlier	Print Speed					
Internationally with Intergrap Reference (PAPE)	Filli Speed	Letter	Up to 19 / 19 ppm (Mono/Colour)	Up to 28 / 28 ppm (Mono/Colour)		
Warm up line (From Rower On)   A	Print Resolution		600 x 600 d	oi		
Part   Print Number (PPOT)	Print Quality with Image Re	finement Technology	1,200 x 1,200 dpi (equivalent), 9,600 (equivalent) x 600 dpi			
Rest Print Clinical Time (PPC)	Warm up Time (From Power	On)	13.0 sec or less			
Recovery Prime (From Sleep Mode)	First Printout Time (EPOT)	A4	Approx. 10.9 / 12.0 sec (Mono/Colour)	Approx. 8.3 / 8.6 sec (Mono/Colour)		
Mini Linguinge	riisi riiiilodi liiile (rrot)	Letter	Approx. 10.7 / 11.9 sec (Mono/Colour)	Approx. 8.1 / 8.5 sec (Mono/Colour)		
Auchication Report See for Autho Duples Print  Direct Print  Analysis Serport See for Autho Duples Print  Analysis Serport See for Autho Duples Print  Supported Rie Formort. JRSG. IRF PCP  Print Margins  Print Realuss  COPY  COPY  COPY  COPY  COPY  Copy Speed  Ad  Up to 18 / 18 pmm (Monor/Coloux)  Up to 27 / 27 pmm (Monor/Coloux)  Approx 9.6 / 11.3 see (Monor/Coloux)  Approx 9.6 / 11.3 see (Monor/Coloux)  Maximum Number of Copies  Up to 29 / 28 pmm (Monor/Coloux)  Approx 9.6 / 11.1 see (Monor/Coloux)  Maximum Number of Copies  Broad (Monor/Coloux)  Approx 9.6 / 11.1 see (Monor/Co	Recovery Time (From Sleep	Mode)	Approx. 6.1 s	ec		
Actional Property State for Auto Duples Print	Print Language		UFR II, PCL 6, Adobe® PostScript® 3™			
Diver Print Print Margins S. Smm - Exp. Diction dright (Envision): 10 mm) Print Requires Poster Booklet Watermark. Page Composer, forer Source COPY Copy Speed. Letter Up to 19 / 18 pm (Mono/Colour) Up to 27 / 27 pm (Mono/Colour)  Past Copy Time (COT) A4 Letter Up to 19 / 19 pm (Mono/Colour) Letter Up to 19 / 19 pm (Mono/Colour) Approx. 12 / 1.13 sec (Mono/Colour) Approx. 12 / 1.13 sec (Mono/Colour) Approx. 15 / 1.13 sec (Mono/Colour) Approx. 17 / 1.13 sec (Mono/Colour) Approx. 18 / 1.13 sec (Mono/Colour) Approx. 19 / 1.13 sec (Mono/Colour) Approx.	Auto Duplex Print		Standard			
Print   Regulars   Semi-sp.   Delton, left and right   Revelopes (10 mm)	Available Paper Size for Aut	o Duplex Print	A4, B5, Letter, Legal(*), Executive, Foolscap, Indian Legal			
Poster Booklet Watermark. Page Composer four Sover	Direct Print		Supported File Format: JPEG, TIFF, PDF			
Copy Speed	Print Margins		5 mm - top, bottom, left and righ			
Maintain	Print Features		Poster, Booklet, Watermark, Page			
Later	СОРУ					
Lefter		A4	Up to 18 / 18 ppm (Mono/Colour)	Up to 27 / 27 ppm (Mono/Colour)		
Copy Time (FCOT)   Ad	Copy Speed	Letter				
First Copy Time (FCOT)	Copy Resolution		600 x 600 dg	oi		
First Copy Time (FCOT)   Letter		A4				
Modern Mumber of Copies   Up to 999 copies	First Copy Time (FCOT)					
Reduce/Enlargement   25 - 40% in 1% increments	Maximum Number of Copie					
Scan						
Scan Type						
Scan Type			Traine Edde, Memory Con, 2 on 1	,,4 of 1,15 oald copy		
Scan Resolution			Colour Contact Ima	ge Sensor		
Scon Resolution   Driver Enhanced   Up to 9,600 x 9,600 dpi		Optical				
Color Depth Duplex Scan Ves. USB and Network Push Scan (Scan To PC) with MF Scan utility Scan To PC) w	Scan Resolution					
Duplex Scan Pull Scan Yes USB and Network Push Scan (Scan To PC) with MF Scan Utility Push Scan (Scan To PC) with MF Scan Utility Scan to USB (via USB Host 2.0) Yes Scan Driver Compatibility TWAIN, WIA ICA Scan speed(**) 1-Sided: 27 pages/minute (mono), 14 pages/minute (colour), 28ided: 50 pages/minute (mono), 27 pages/minute (colour) Scan to Cloud SEND Sending Method SMB, E-mail, FTP, IFAX Color Mode Scan Resolution File Format FAX Modem Speed Up to 33.6 Ktps Fax Resolution Up to 486 x 391 dpi Compression Method Memory Capacity(**) Memory Capacity(**) Speed Dial (Coded Dial) Group dials (In address book) Froughest of the Color of Sequential Broadcast Max 190 dials (Sequential Broadcast Sequential Broadcast Max 190 destinations Sequential Broadcast Memory Backsup Receive Mode Fax Conly, Manuel, Answering, Fax/Fel Auto Switch Memory Backsup Fax Fax Conly, Manuel, Answering, Fax/Fel Auto Switch Memory Backsup Fax Fax (First Mode) Fax Conly, Manuel, Answering, Fax/Fel Auto Switch Memory Backsup Fax Forwarding, Dual Access Remote Reception, PC Fax (First Missers), DRP, DECM, Auto Redial, Fax Activity Reports,						
Pull Scan Yes, USB and Network Push Scan (Scan To PC) with MF Scan Utility Nes, USB and Network Scan to USB (via USB tots 2.0) Yes Scan Driver Compatibility TWAIN, WIA ICA Scan Speed <sup>(1)</sup> Scan to Cloud Scan to USB (via USB tots 2.0) 1-Sided: 27 pages/minute (mono), 14 pages/minute (colour), 2-Sided: 50 pages/minute (mono), 27 pages/minute (colour) Scan to Cloud Yes, via MF Scan Utility Sending Method Sending	· · · · · · · · · · · · · · · · · · ·					
Push Scan (Scan To PC) with MF Scan Utility Scan to USB (Via USB Host 2.0) Yes Scan Driver Compatibility Scan Speed <sup>(12)</sup> Scan Speed <sup>(12)</sup> Scan Speed <sup>(12)</sup> Scan Speed <sup>(13)</sup> Sen Speed <sup>(13)</sup> Scan Repolution Speed Speed Speed <sup>(13)</sup> Speed						
Scan to USB (via USB Host 2.0) Scan Driver Compartibility TWAIN, VIA, ICA Scan Speed: <sup>22</sup> 1-Sided: 27 pages/minute (mono), 14 pages/minute (colour), 25 pages/minute (colour) Scan to Cloud Yes, via MF Scan Utility SEND Sending Method SMB, E-mail, FTB, IEAX Color Mode Full Colour, Monochrome Scan Resolution Sending Method JPEG, TIEF, DE, Compact PDF, PDF (OCR) FAX Modem Speed Up to 33.6 Khps Fax Resolution Up to 406 x 391 dpi Compression Method MM, MB, MB, BIG Memory Capacity <sup>(2)</sup> Memory Capacity <sup>(2)</sup> Favourite Dials (in address book) Speed Dial (Coded Dial) Group dials / Destinations Sequential Broadcast Up to 251 dials Speed Dial (Coded Dial) Group dials / Destinations Sequential Broadcast Duplex Fax (Transmission) Receive Mode Fax Conly, Manual, Answering, Fax/Tel Auto Switch Memory Backup Fere Favouring, Dual Access, Remote Reception, PFC Ax (Incompress on NPP), EDM, Auto Redial, Fax Activity Reports,		h ME Scan Utility				
Scan Driver Compatibility Scan Driver Compatibility Scan to Cloud Scan speed(**) Scan to Cloud Yes, via MF Scan Utility SEND Sending Method SMB, E-mail, FTP, FAX Color Mode Full Colour, Monochrome Scan Resolution File Format JPEG, TIFF, DF, Compact PDF, PDF, (OCR) FAX Modem Speed Up to 33.6 Kbps Fax Resolution Up to 406 x 391 dpi Compression Method MH, MR, MMR, JBIG Memory Capacity(**) Up to 512 pages Fevourite Dials (in address book) Speed Dial (Coded Dial) Group dials / Destinations Sequential Broadcast Duplex Fax (Transmission) Ves Receive Mode Memory Backup Fax Convoyrian Dials (in Address Sequential Sequ						
Scan Speed*** 1-Sided: 27 pages/minute (mono), 14 pages/minute (colour), 2-Sided: 50 pages/minute (mono), 27 pages/minute (colour) Scan to Cloud Yes, via MF Scan Utility  Sending Method SMB, E-mail, FTP, IFAX Color Made Scan Resolution File Format Fax  Modem Speed Fax Resolution Fax Resolution Compression Method Up to 406 x 391 dpi Compression Method Memory Capacity** Moders Speed Favourite Diats (in address book) Speed Dial (Coded Dial) Group dials / Destinations Sequential Broadcast Max 199 dials / Destinations Sequential Broadcast Duplex Fax (Transmission) Receive Mode Fax Conly, Manual, Answering, Fax/Tel Auto Switch Memory Backup Fax Forwarding, Dual Access, Remote Reception, PC Fax, (Iransmission), PC, ECM, Auto Redial, Fax Activity Reports,						
Scan to Cloud  Yes, via MF Scan Utility  SEND  Sending Method  SMB. E-mail, FTP, IFAX  Color Made  Full Colour, Monochrome Scan Resolution  300 x 300 dpi, 200 x 200 dpi  File Format  FAX  Modem Speed  Up to 33.6 Kbps  Fax Resolution  Up to 406 x 391 dpi  Compression Method  MH, MR, MMR, JBIG  Memory Capacity(**)  Fovourite Dials (in address book)  Speed Dial (Coded Dial)  Group dials / Destinations  Group dials / Destinations  Duplex Fax (Transmission)  Receive Mode  Memory Backup  Fax (Transmission)  Receive Mode  Memory Backup  Fax Forwarding, Dual Access, Remole Reception, PC Fax (Transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,  Fax Forwarding, Dual Access, Remole Reception, PC Fax (Transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,						
Sending Method   SMB, E-mail, FTP, IFAX						
Sending Method   SMB. E-mail, FTP, IFAX			Tes, via ivii 3can	· · · · · · · · · · · · · · · · · · ·		
Color Mode Scan Resolution 300 x 300 dpi, 200 x 200 dpi File Format File Format FAX  Modem Speed Up to 33.6 Kbps Fax Resolution Up to 406 x 391 dpi Compression Method Up to 406 x 391 dpi Compression Method Up to 512 pages Favourite Dials (in address book) 19 dials Speed Dial (Coded Dial) Up to 281 dials Group dials / Destinations Sequential Broadcast Up to 281 dials Up to 281 dials Up to 281 dials Sequential Broadcast Up to 281 dials Sequential Broadcast Fax (Transmission) Fax (Transmission) Fax (Transmission) Fax Forwarding, Dual Access, Remole Reception, PC Fax (Transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,			SMR E-mail ETP IFAY			
Scan Resolution   300 x 300 dpi, 200 x 200 dpi						
File Format						
Modem Speed			' '			
Modem Speed         Up to 33.6 Kbps           Fax Resolution         Up to 406 x 391 dpi           Compression Method         MH, MR, MMR, JBIG           Memory Capacity(*)         Up to 512 pages           Favourite Dials (in address book)         19 dials           Speed Dial (Coded Dial)         Up to 281 dials           Group dials / Destinations         Max 199 dials/destinations           Sequential Broadcast         Max 310 destinations           Duplex Fax (Transmission)         Yes           Receive Mode         Fax Only, Manual, Answering, Fax/Tel Auto Switch           Memory Backup         Fax Forwarding, Dual Access, Remole Reception, PC Fax (transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,			JPEG, IIFF, PDF, Compact F	Jirts, IIIt; rut; Compact rut; rut (OCK)		
Fax Resolution         Up to 406 x 391 dpi           Compression Method         MH, NR, MMR, JBIG           Memory Capacity(**)         Up to 512 pages           Fevourite Dials (in address book)         19 dials           Speed Dial (Coded Dial)         Up to 281 dials           Group dials / Destinations         Max 199 cials/ / destinations           Sequential Broadcast         Max 310 destinations           Duplex Fax (Transmission)         Yes           Receive Mode         Fax Only, Manual, Answering, Fax/Tel Auto Switch           Memory Backup         Permanent fax memory backup           Fax Forwarding, Dual Access, Remote Reception, PC Fax (transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,			The 44 00 / 1/6	, , , , , , , , , , , , , , , , , , ,		
Compression Method  MiH, MR, MMR, JBIG  Memory Capacity <sup>(-2)</sup> Ly to 512 pages  Favourite Diats (in address book)  Speed Diat (Coded Diat)  Up to 281 diats  Group diats / Destinations  Max 199 diats / Destinations  Sequential Broadcast  Max 310 destinations  Duplex Fax (Transmission)  Receive Mode  Fax Only, Manual, Answering, Fax/Tel Auto Switch  Memory Backup  Fax Forwarding, Dual Access, Remote Reception, PC Fax (fransmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,	-					
Memory Capacity <sup>(*)</sup>   Point S12 pages			· · ·			
Favourite Dials (in address book)  Speed Dial (Coded Dial)  Up to 281 dials  Group dials / Destinations  Sequential Broadcast  Max 190 dials/destinations  Sequential Broadcast  Max 310 destinations  Duplex Fax (Transmission)  Receive Mode  Fax Only, Manual, Answering, Fax/Tel Auto Switch  Memory Backup  Fax Forwarding, Dual Access, Remole Reception, PC Fax (Transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,						
Speed Dial (Coded Dial)         Up to 281 dials           Group dials / Destinations         Max 199 dials / destinations           Sequential Broadcast         Max 310 destinations           Duplex Fax (Transmission)         Yes           Receive Mode         Fax Only, Manual, Answering, Fax/Tel Auto Switch           Memory Backup         Permanent fax memory backup           Fax Forwarding, Dual Access, Remote Reception, PC Fax, (transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,		haald				
Group dials / Destinations  Sequential Broadcast  Max 199 dials / destinations  Sequential Broadcast  Max 310 destinations  Upplex Fax (Transmission)  Fax Only, Manual, Answering, Fax/Tel Auto Switch  Memory Backup  Fax Forwarding, Dual Access, Remote Reception, PC Fax (Transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,		DOOK)				
Sequential Broadcast         Max 310 destinations           Duplex Fax (Transmission)         Yes           Receive Mode         Fax Only, Manual, Answering, Fax/Tel Auto Switch           Memory Backup         Permanent fax memory backup           Fax Forwarding, Dual Access, Remote Reception, PC Fax (Transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,	, , ,		·			
Duplex Fax (Transmission)  Receive Mode  Fax Only, Manual, Answering, Fax/Tel Auto Switch  Permanent fax memory backup  Fax Forwarding, Dual Access, Remote Reception, PC Fax (Transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,						
Receive Mode Fax Only, Manual, Answering, Fax/Tel Auto Switch  Memory Backup Permanent fax memory backup  Fax Forwarding, Dual Access, Remote Reception, PC Fax (transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,	<u> </u>			nions		
Memory Backup         Permanent fax memory backup           Fax Forwarding, Dual Access, Remote Reception, PC Fax (transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,				5 (7) 4 1 0 11 1		
Fax Forwarding, Dual Access, Remote Reception, PC Fax (transmisson only), DRPD, ECM, Auto Redial, Fax Activity Reports,						
	Memory Backup					
	Fax Features			Fax Forwarding, Dual Access, Remote Reception, PC- Fax (transmisson only), DiRPU, EUM, Auto Rédial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports		

SPECIFICATION	e				
SPECIFICATION		MF635Cx	MF735Cx		
PAPER HANDLING					
Duplex Auto Document Feeder (DADF)		50 sheets (80 g/m²)			
Available Paper Size for ADF		A4, B5, A5, B6, Letter, Legal(*1), Statement, Custom Size (min. 105 x 128 mm to max. 215.9 x 355.6 mm)			
	Cassette	150 sheets	250 sheets		
Paper Input	Multi-Purpose Tray	1 sheet	50 sheet		
	Maximum	151 sheets	850 sheets		
Paper Output		100 sheets (face down)	150 sheets (face down)		
Paper Size	Cassette	A4, B5, A5, Legal <sup>(1)</sup> , Letter, Statement, Executive, Foolscap, Indian Legal Custom Size (min. 100 x 148 mm to max. 215.9 x 355.6 mm)			
	Multi-Purpose Tray	A4, B5, A5, Legal(*1), Letter, Statement, Executive, Foolscap, Indian Legal, Index Card Envelope: COM10, Monarch, C5, DL Custom Size (min. 76.2 x 127 mm to max. 215.9 x 355.6 mm)	A4, B5, A5, Legal <sup>(*1)</sup> , Letter, Statement, Executive, Foolscap, Indian Legal Envelope: COM10, C5, DL Custom Size (min. 76.2 x 127 mm to max. 215.9 x 355.6 mm)		
Paper Types		Thin, Plain, Recycled, Heavy, Colour, Coated, Postcard, Envelope			
Daniel Malaka	Cassette	52 to 163 g/m² (Coated: 100 - 200 g/m²)			
Paper Weight	Multi-Purpose Tray	52 to 163 g/m² (Coated: 100 - 200 g/m²)	60 to 176 g/m² (Coated: 100 - 200 g/m²)		
CONNECTIVITY & SOFTWARI					
	Wired	USB 2.0 High Speed, 10Base-T/100Base-TX/1000Base-T			
Standard Interface	Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS easy Setup, Direct Connection)			
Near Field Communication (N	FC)	N/A	Yes (Passive)		
	Print	LPD, RAW, WSD-Print (IPv4,IPv6)			
	Scan	Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, IFAX			
Network Protocol	TCP/IP Application Services	Bonjour(mDNS), HTTP, HTTPS, DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6)	Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4,IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6)		
	Management	SNMPv1, SNMPv3 (IPv4,IPv6)			
Network Security	Wired	IP/Mac address filtering, SNMPv3, SSL(HTTPS/IPPS), IEEE802.1x			
Network Security	Wireless	WEP 64/128 bif, WPA-PSK (TKIP/AES), WPA2-PSK (AES)			
One-Push Wireless Configuration		Wi-Fi Protected Setup (WPS)			
Other Features		Department ID, Secure Print			
Mobile Solution		Canon PRINT Business, Apple® AirPrint®, Mopria® Print Service, Google Cloud Print™, Canon Print Service, Windows® 10 Mobile Print			
Address Book		LDAP			
Compatible Operating Systems(*4)		Windows* 10, Windows* 8.1, Windows* 8, Windows* 7, Windows Server* 2016, Windows Server* 2012R2, Windows Server* 2018 R2, Windows Server* 2008 R2, Windows Server* 2008, Mac* OS X 10.7.5 & up(*5), Linux(*5)			
Software Included		Printer driver, Fax driver, Scanner driver, MF Scan Utility, Toner Status			
GENERAL					
Device Memory		1 GB RAM			
LCD Display		WVGA Color LCD 5.0° Touch Screen Display			
Dimensions (W x D x H)		451 x 460 x 400 mm	471 x 469 x 460 mm		
Weight		22.0 kg (with cartridges), 20.0 kg (without cartridges)	26.5 kg (with cartridges), 24.5 kg (without cartridges)		
Power Consumption (Maximum)		850 W or less	1,400 W or less		
Power Consumption (Average; During Operation)		Approx. 350 W	Approx. 560 W		
Power Consumption (Average; During Standby)		Approx. 13.6 W	Approx. 17.7 W		
Power Consumption (Average		Approx. 0.94 W (USB/wired), approx. 0.98 W (wireless)	Approx. 0.8 W (USB/wired/wireless)		
Noise Levels(*6)	During Operation	Sound Pressure Level: 49 dB, Sound Power Level: 6.4 B	Sound Pressure Level: 48 dB, Sound Power Level: 6.2 B		
	During Standby	Sound Pressure Level: Inaudible, Sound Power Level: Inaudible	Sound Pressure Level: 29 dB, Sound Power Level: 4.2 B		
Operating Environment	Temperature	10-30℃			
· •	Humidity	20% - 80% RH (no condensation)			
Power Requirements		AC 220 - 240 V(+/- 10%) , 50/60 Hz(+/- 2 Hz)			
Toner Cartridge <sup>(*7)</sup>	Standard	Cartridge 045 BK: 1,400 pages (bundled: 1,400 pages) Cartridge 045 C/M/Y: 1,300 pages (bundled: 690 pages)	Cartridge 046 BK: 2,200 pages (bundled: 2,200 pages) Cartridge 046 C/M/Y: 2,300 pages (bundled: 1,200 pages)		
	High	Cartridge 045H BK: 2,800 pages Cartridge 045H C/M/Y: 2,200 pages	Cartridge 046H BK: 6,300 pages Cartridge 046H C/M/Y: 5,000 pages		
Monthly Duty Cycle(*8)		30,000 pages	50,000 pages		

Attachment Kit for NT-Ware Mi-Card Reader

Paper Capacity

Paper Size

Paper Weight

- \*1 Legal size refers to paper size measuring 215.9 x 355.6 mm (8.5 x 14 inch)
  \*2 Speed of scanning via the document feeder, A4 size, scan resolution 300 x 300 dpi
  \*3 Based on ITU-T #1 Chart (standard mode)
  \*4 ScanGear is not available for Windows Server 2008/2012
  \*5 Drivers for Mac OS can be downloaded from www.canon-asia.com website when available.
  Only the print function is supported for Linux. The latest drivers for Linux can be downloaded from

Barcode Printing Kit-E1

Mi-Card Attachment Kit-B1

\*6 Tested in accordance to ISO 7779 and declared per ISO 9296
\*7 Toner cartridge yield is in accordance with ISO/IEC 19798
\*8 Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon laser printers. It does not refer to actual maximum image output per month.

## Canon

Monthly Duty Cycle(\* OPTIONAL ACCESSORIES

Cassette Unit-AF1

Barcode Printing

### South & Southeast Asia **Regional Headquarters**

Canon Singapore Pte. Ltd.

Tel: 65-6799 8888

### **CANON OFFICES**

HONG KONG Canon Hongkong Co., Ltd.

INDIA Canon India Pvt Ltd.

MALAYSIA Canon Marketing (Malaysia) Sdn. Bhd. Tel: 60-3 7844 6000

PHILIPPINES
Canon Marketing (Philippines), Inc.
Tel: 632-884 9090
Fax: 632-56 1456
www.canon.com.ph

SINGAPORE
Canon Singapore Pte. Ltd.

N/Δ

THAILAND
Canon Marketing (Thailand) Co. Ltd.

### **CANON BUSINESS PARTNERS**

BANGLADESH J.A.N Associates Ltd.

BRUNEI

Royal Cambodia Co. Ltd.

MALDIVES SIMDI Company (Pvt) Ltd. Tel: 960 - 3334421 Fax: 960 - 3334424 www.simdi.com

MONGOLIA

550 sheets A4, B5, A5, Legal(\*1), Letter, Statement, Executive, Foolscap, Indian Legal Custom Size (min., 100 x 148 mm to max. 215.9 x 355.6 mm)

52 to 163 g/m2 (Glossy: up to 200 g/m2)

MONGO ITZone Tel: 976-11-323705 Fax: 976-11-312699 www.itzone.mn/en

MYANMAR Myanmar Golden Rock International Co., Ltd. Tel: 95-1 654810 to 19 (10 Lines) Fax: 95-1 654820

NEPAL International Electronics Concern (P) Ltd.

PAKISTAN

PAKISIAN Shirazi Trading Company (Pvt.) Limited Tel: 92-21-3241 (7659), (7737) or (7746) Fax: 92-21-(3241 7747), (3242 0417) or (3242 0418) www.shirazitrading.com.pk

SRI LANKA ppolitan Office (Pvt) Ltd.

Dealer's Stamp