

Safety Data Sheet

SDS #: ICW 1550 R - 02 GL EN Issuing date: 07-Oct-2016 Revision date: 28-Jun-2019

Version: 02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier

Canon Ink Tank PFI-8007C **Product name**

Product Code(s) 2149C

Use Ink for Ink Jet Printer

Details of the supplier of the safety data sheet

Supplier

Canon Singapore Pte. Ltd.

1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522

Email: cspl_msds@canon.com.sg Phone number: (65) 6799-8888

Canon India Pvt. Ltd.

7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India

Phone number: (91) 124-416-0000

Emergency phone number: (91) 124-416-0180

Canon (China) Co. Ltd

33F, China Life Financial Center, No.23 Zhenzhi Road, Chaoyang District, Beijing 100026, P.R.China

Canon Korea Business Solutions INC. 607 Teheran-ro, Gangnam-gu, Korea Email: webmaster@canon-bs.co.kr Phone number: (82) 1588-2500

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified

Label Elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary statements

Not required

GL EN Page 1/7 Issuing date: 07-Oct-2016

Revision date: 28-Jun-2019

Canon Ink Tank PFI-8007C

Other Information

Contains 1,2-benzisothiazol-3(2H)-one.

May produce an allergic reaction.

Contains less than 30% of components with unknown hazards to the aquatic environment.

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

Mixtures

Chemical name	CAS-No	EC-No	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Urea compound	СВІ	СВІ	5 - 10	Eye Irrit. 2 (H319) STOT RE 2 (thyroid gland) (H373)	
Glycol	CBI	CBI	5 - 10	None	
Substituted phthalocyanine salt	СВІ	CBI	5 - 10	Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)	
Isopropyl alcohol	67-63-0	200-661-7	1 - 5	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	
Nitrate	CBI	CBI	1 - 5	None	
Water	7732-18-5	231-791-2	60 - 80	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards: The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

Description of first aid measures

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye Contact Flush with plenty of water. Get medical attention immediately if symptoms occur.

Most important symptoms and effects, both acute and delayed

Inhalation None under normal use. Symptoms of overexposure are dizziness, headache, tiredness,

nausea, unconsciousness, cessation of breathing.

Ingestion None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting

and diarrhea.

Skin Contact None under normal use.

Eye Contact None under normal use. May cause slight irritation.

GL EN Page 2/7

Issuing date: 07-Oct-2016 2149C
Revision date: 28-Jun-2019 Canon Ink Tank PFI-8007C

Chronic Effects None under normal use.

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media

None

Special hazards arising from the substance or mixture

Special Hazard

None

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

Environmental Precautions

Keep out of waterways.

Methods and material for containment and cleaning up

Wipe up with adsorbent material (e.g. cloth, fleece).

Other Information

None

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

Specific end uses

GL EN Page 3/7

Issuing date: 07-Oct-2016

Revision date: 28-Jun-2019

Canon Ink Tank PFI-8007C

Ink for Ink Jet Printer. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Isopropyl alcohol 67-63-0	None	TWA: 400 ppm TWA: 983 mg/m ³	TWA: 400 ppm TWA: 980 mg/m ³	TWA: 200 ppm STEL: 400 ppm
		STEL: 500 ppm STEL: 1230 mg/m³		

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face Protection
Skin Protection
Not required under normal use.

Thermal hazards Not Applicable

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

AppearanceCyan ; LiquidOdorSlight odorOdor thresholdNo data available

pH 7 - 10

PH / - 10

Melting/Freezing point (°C)

No data available

No data available

Flash Point (°C) 59.3 (Tag. Closed Cup. Combustion is not sustainable.)

Evaporation Rate No data available Flammability (solid, gas) Not Applicable

Flammability Limits in Air

Upper Flammability LimitNo data availableLower Flammability LimitNo data availableVapor pressureNo data availableVapor densityNo data available

Relative density 1.0 - 1.1

Solubility(ies) Water; miscible
Partition coefficient: n-octanol/water No data available
Autoignition Temperature (°C) No data available
Decomposition Temperature (°C) No data available

Viscosity (mPa s) 1 - 5

Explosive propertiesNone; estimated
Oxidizing properties
None; estimated

Other Information

No data available

SECTION 10: Stability and reactivity

Reactivity

None

Chemical stability

GL EN Page 4/7

Issuing date: 07-Oct-2016 2149C
Revision date: 28-Jun-2019 Canon Ink Tank PFI-8007C

Stable

Possibility of Hazardous Reactions

None

Conditions to Avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

<u>Hazardous Decomposition Products</u>

Carbon dioxide (CO₂), Carbon monoxide (CO), and/or Ammonia.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity No data available

Skin corrosion/irritation Mild irritant (Estimate) (OECD Guideline)

Serious eye damage/eye irritation Moderate irritant (Estimate) (OECD Guideline)

Sensitization Non-sensitizer (Estimate) (OECD Guideline)

Germ cell mutagenicity Ames test: Negative

Carcinogenicity The IARC evaluated ingested nitrate as a Group 2A carcinogen, for which there is

inadequate human evidence for nitrate in food or drinking-water and inadequate animal evidence for nitrate, but limited human evidence for nitrite in food, limited animal evidence for nitrite and sufficient animal evidence for nitrite in combination with amines or amides. A

part of ingested nitrate is changed to nitrite in the body.

However, no ingestion of nitrate is expected under intended use of this product.

Reproductive Toxicity No data available

STOT - single exposure No data available

STOT - repeated exposure No data available

Aspiration hazard No data available

Other Information Ingested nitrate may cause effects on the blood, resulting in formation of methemoglobin.

However, no ingestion of nitrate at a level which causes such adverse effects is expected

under intended use of this product.

SECTION 12: Ecological information

Toxicity

Ecotoxicity effects
No data available

Persistence and degradability

GL EN Page 5/7

Issuing date: 07-Oct-2016 2149C
Revision date: 28-Jun-2019 Canon Ink Tank PFI-8007C

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Dispose of in accordance with local regulations.

SECTION 14: Transport information

UN number None

UN Proper Shipping Name None

Transport Hazard Class None

Packing Group None

Environmental HazardsNot classified as environmentally hazardous under UN Model Regulations and

marine pollutant under IMDG Code.

<u>Special Precautions for users</u>
IATA: Not regulated

Transport in bulk according to Annex II of

MARPOL and the IBC Code

Not Applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation
(EC) No 1907/2006 Restriction
(EC) No 1005/2009
(EC) No 850/2004
(EU) No 649/2012

Not regulated
Not regulated
Not regulated
Not regulated

Australia Information Not classified as hazardous according to criteria of Work Health and Safety Regulations

2011.

Other Information None

SECTION 16: Other information

GL EN Page 6/7

Issuing date: 07-Oct-2016

Revision date: 28-Jun-2019

Canon Ink Tank PFI-8007C

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC and (EU) 2017/2398, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date: 07-Oct-2016

Revision date: 28-Jun-2019

Revision Note SECTION 3 and 16 revised

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

GL EN Page 7/7