

MSDS #: Product Code: IC1016-0101 7340A

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank BCI-1201Y

Product Code: 7340A

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl_msds@canon.com.sg

Use of the Product: Ink for Ink Jet Printer

SECTION 2	COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn/ R22	Not established	Not established	Not established	10 ppm, 44 mg/m ³
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F/ R11, Xi/ R36, R67	TWA = 400 ppm, 980 mg/m ³	TWA = 400 ppm, 983 mg/m ³ STEL = 500 ppm, 1230 mg/m ³	Not established	200 ppm, 500 mg/m ³
Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[1,4-dimethyl-1,4- bis(2-methylpropyl)-2-butyne-1,4 -diyl]bis[.omegahydroxy-	9014-85-1 / Not applicable	1 - 3	Xi/ R41	Not established	Not established	Not established	Not established
Glycol	Confidential	5 - 10	None/ None	Not established	Not established	Not established	Not established
Triol	Confidential	5 - 10	None/ None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-79-12	65 - 85	None/ None	Not established	Not established	Not established	Not established



MSDS #:

Page 2 of 8 IC1016-0101

Product Code: 7340A

< Carcinogen > Chemical Name

None

CAS#

Reference

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous

Emergency Overview:

Ink tank containing yellow liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to diethylene glycol and/or isopropyl alcohol may cause headache, nausea, dizziness, vomiting, drowsiness, sore throat and cough.

Ingestion:

Ingestion of diethylene glycol and/or isopropyl alcohol may cause headache, nausea, dizziness, vomiting, drowsiness, sore throat, abdominal pain, dullness and diarrhea.

Eye:

May cause minimal irritation based on the animal test data of this ink. (See SECTION 11)

Skin:

May be no irritation and no sensitization based on the animal test data of this ink. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Immediately flush with water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

MSDS #: _ Product Code: Page 3 of 8 IC1016-0101

7340A

SECTION 5 FIRE FIG	GHTING MEASURES					
Fire Fighting Measures:						
Extinguishing Media:						
CO ₂ , water, foam or dr	CO ₂ , water, foam or dry chemicals.					
Unsuitable Extinguishin None	g Media:					
Special Fire Fighting Pro None	ocedures:					
Unusual Fire and Explos	sion Hazards:					
Fire and Explosive Propertie	es (See also Section 9):					
Hazardous Combustion	Products:					
CO and CO ₂						
Other Properties:						
None						
SECTION 6 ACCIDE	ENTAL RELEASE MEASURES					
Personal Precautions: Avoid breathing vapor.						
Avoid contact with skin, ey	ves and clothing.					
Environmental Precautions:	-					
	urface water or ground water.					
Method for Cleaning Up:						
Wipe off with wet cloth or	paper.					
	DVG AND GEODAGE					
	ING AND STORAGE					
Handling:						
Avoid breathing vapor.	ion.					
Use with adequate ventilat	yes and clothing. When contact, wash out immediately.					
	765 and clothing. When contact, wash out immediately.					
Storage: Keep away from heat and f	flame. Keep in a cool and dry place.					
Protect from sunlight.	Keep out of the reach of children.					
Specific Uses:						
Ink for Ink Jet Printer.						
For more information, please refer to the instruction of this product.						
SECTION 8 EXPOSU	URE CONTROLS / PERSONAL PROTECTION					
Exposure Guidelines:						
	k. (Also refer to SECTION 2)					
Engineering Controls:						
Use adequate ventilation.						
Personal Protection Equipm	nent(s):					
Respiratory Protection:						
Respiratory Protection:						
Respiratory Protection: Eye/Face Protection:	☐ Required ☑ Not Required ☐ Required					
	☐ Required ☑ Not Required					
	☐ Required ☑ Not Required ☐ Required					



MSDS #:

Page 4 of 8 IC1016-0101

Product Code: 7340A

SECTION 9 PHYSICAL AND CI	HEMICAL PROPERTIES
Appearance:	Yellow liquid
Odor:	Slight odor
pH:	7.1 - 8.1
Boiling Point/Range(°C):	Not available
Melting Point/Range(°C):	Not available
Decomposition Temperature (${}^{\circ}C$):	Not available
Flash Point(°C):	63.6 (Tag. closed cup. Do not sustain combustion.)
Flammable (Explosive) Limits:	Not available
Autoignition Temperature ($^{\circ}$ C):	Not available
Flammability:	Classified as "Combustible liquid" under OSHA-HCS(USA). Not Classified as "flammable" or "combustible" under FHSA(USA). Not Classified as "flammable" under 1999/45/EC.
Explosive Properties:	None
Oxidizing Properties:	None
Vapor Pressure :	Not available
Vapor Density :	Not available
Density / Specific Gravity:	1.02
Water Solubility :	Miscible
Fat Solubility:	Not available
Partition Coefficient (n-Octanol/Water)	: Not available
Percent Volatile (%):	65 - 85
Evaporation Rate:	Not available
Viscosity (mPa s):	2.3 - 2.9
SECTION 10 STABILITY AND R	EACTIVITY
Stability:	Stable Unstable
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents.
Hazardous Decomposition Products:	CO and CO ₂
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur
Conditions to Avoid:	None



MSDS #: Product Code:

Page 5 of 8 IC1016-0101

7340A

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

Minimal irritant, Maximum Group Mean Score = 2.7 Class 3 (rabbit) OECD Guidelines No.405 (1987)

92/69/EEC Method B5

Skin:

Non irritant, Primary Irritation Index = 0.0 (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

Sensitization:

Non sensitizer, Sensitization rate = 0% (0/10) (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

Mutagenicity:

Ames test: Negative (test strains: S.typhimurium & E.Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

No component of this ink is listed as human carcinogens or potential carcinogens in IARC Monographs, NTP, OSHA(USA) regulations or Annex I to Directive 67/548/EEC(EU).

Others:

None

Canon

MATERIAL SAFETY DATA SHEET

Page 6 of 8

MSDS #: IC1016-01

Product Code:

IC1016-0101 7340A

SECTION 12 E	COLOG	ICAL INFORMATION			
Mobility:		Not available			
Persistence / Degradability: Bioaccumulation: Ecotoxicity:		Not available			
		Not available			
		Not available			
Other Adverse Effec	ets:	Not available			
SECTION 13 D	ISPOSA	L CONSIDERATION			
Method of Disposal: Disposal may be subject to federal, state and local laws.					
SECTION 14 T	RANSP(ORT INFORMATION			
UN #:	None				
UN Shipping Name:	None				
UN Classification:	None				
UN Packing Group:	None				
Marine Pollutant:	☐ Yes ► No	Chemical name (wt%):			
Special Precautions:	None				
SECTION 15 R	REGULA	TORY INFORMATION			
< EU Information > Information on the I					
Symbol & Indication: Not required					
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Components	ponent(s)	:			
		r 1999/45/EC Annex V: ble for professional user on request.			
Specific Provisions in	n Relation	n to Protection of Man or the Environment:			
76/769/EEC:	Not regu	lated			
(EC)2037/2000:					
(EEC)2455/92:	Not regu				
Others:	None				



MSDS #: __ Product Code:

IC1016-0101 7340A

Page 7 of 8

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC

SECTION 16 OTHER INFORMATION

<R phrase list>

R11 : Highly flammable. R22 : Harmful if swallowed.

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version>

Entirely revised



MSDS #:

Product Code:

Page 8 of 8 IC1016-0101

7340A

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- $ACGIH, Threshold\ Limit\ Values\ for\ Chemical\ Substances\ and\ Physical\ Agents\ and\ Biological\ Exposure\ Indices$
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration.

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA)

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard.

FHSA: Federal Hazardous Substances Act.

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.