

Safety Data Sheet

SDS #: ICW 0797 R - 01 GL EN Issuing date: 12-Sep-2011 Revision date: 24-Apr-2015

Version: 04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier

Ink Tank for Canon Digital Photo Printer (CYAN) TL-501C **Product name**

5617B Product Code(s)

Ink for Ink Jet Printer Use

Details of the supplier of the safety data sheet

Supplier

Canon Australia Pty Ltd

Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia

Email: qse@canon.com.au Phone number: (61) 2-9805-2000

Emergency phone number: 13 11 26 (Within Australia)

Canon New Zealand Limited

28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand

Email: qse@canon.com.au Phone number: (64) 996-9300

Emergency phone number: 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd.

1 HarbourFront Avenue, #04-01 Keppel Bay Tower, Singapore 098632

Phone number: (65) 6799-8888

Canon India Pvt. Ltd.

7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India

Phone number: (91) 124-416-0000

Emergency phone number: (91) 124-416-0180

Canon (China) Co. Ltd

2F., Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing, 100005, P.R.China

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Not classified

Label Elements

Labelling according to Regulation (EC) No 1272/2008

Contains 1,2-benzisothiazol-3(2H)-one.

May produce an allergic reaction.

Contains less than 30% of components with unknown hazards to the aquatic environment.

Issuing date: 12-Sep-2011

Revision date: 24-Apr-2015

Ink Tank for Canon Digital Photo Printer (CYAN)

Hazard pictograms

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary Statements - EU (§28, 1272/2008)

Not required

Other Information

Labelling according to Regulation (EU) No 528/2012 Contains a preservative to control microbial deterioration.

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

Mixtures

Chemical name	CAS-No	EC-No	Weight %	Classification (67/548)	Indication of danger	Classification (Reg. 1272/2008)
Glycerin	56-81-5	200-289-5	5 - 10	None	None	None
Ethylene urea	120-93-4	204-436-4	1 - 5	Xi; R36	Xi - Irritant	Eye Irrit. 2 (H319)
Substituted phthalocyanine salt	СВІ	СВІ	1 - 5	Xi; R41	Xi - Irritant	Eye Dam. 1 (H318)
Substituted phthalocyanine salt	СВІ	СВІ	1 - 5	Xi; R41 R52-53		Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)
Glycol	CBI	CBI	15 - 20	None	None	None
Water	7732-18-5	231-791-2	60 - 80	None	None	None

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

Description of first aid measures

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye Contact Flush with plenty of water. Get medical attention immediately if symptoms occur.

Most important symptoms and effects, both acute and delayed

Inhalation None under normal use. Symptoms of overexposure are dizziness, headache, tiredness,

nausea, unconsciousness, cessation of breathing.

GL EN Page 2/7

Issuing date: 12-Sep-2011

Revision date: 24-Apr-2015

Ink Tank for Canon Digital Photo Printer (CYAN)

Ingestion None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting

and diarrhea.

Skin Contact None under normal use.

Eye Contact None under normal use. May cause slight irritation.

Chronic Effects None under normal use.

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use CO2, dry chemical, or foam, Water.

Unsuitable extinguishing media

None

Special hazards arising from the substance or mixture

Special Hazard

None

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

Environmental Precautions

Keep out of waterways.

Methods and material for containment and cleaning up

Wipe up with adsorbent material (e.g. cloth, fleece).

Other Information

None

SECTION 7: Handling and storage

Precautions for safe handling

GL EN Page 3/7

Issuing date: 12-Sep-2011 Revision date: 24-Apr-2015 5617B
Ink Tank for Canon Digital Photo Printer (CYAN)

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

Specific end uses

Ink for Ink Jet Printer. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Glycerin 56-81-5	None	TWA: 10 mg/m³ inhalable dust, mist	TWA: 15 mg/m³ mist, total particulate TWA: 5 mg/m³ mist, respirable fraction	None

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face ProtectionNot required under normal use.Skin ProtectionNot required under normal use.Respiratory ProtectionNot required under normal use.

Thermal hazards Not Applicable

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

AppearanceCyan ; LiquidOdorSlight odorOdor thresholdNo data available

p**H** 7 - 8

Melting/Freezing point (°C)No data availableBoiling Point/Range (°C)No data availableFlash Point (°C)None; estimatedEvaporation RateNo data available

Flammability (solid, gas)

Not flammable; Not combustible

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure
Vapor Density

None; estimated
None; estimated
No data available
No data available

Relative density 1.0 - 1.1

Solubility(ies) Water; miscible
Partition coefficient: n-octanol/water No data available
Autoignition Temperature (°C) None; estimated
Decomposition Temperature (°C) No data available

Viscosity (mPa s) 1 - 5

Explosive propertiesNone; estimated
Oxidizing properties
None; estimated

GL EN Page 4/7

Issuing date: 12-Sep-2011

Revision date: 24-Apr-2015

Ink Tank for Canon Digital Photo Printer (CYAN)

Other Information

No data available

SECTION 10: Stability and reactivity

Reactivity

None

Chemical stability

Stable

Possibility of Hazardous Reactions

None

Conditions to Avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO), and/or Ammonia.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity No data available

Skin corrosion/irritation Non-irritant (Estimate) (OECD Guideline)

Serious eye damage/eye irritation Minimal irritant (Estimate) (OECD Guideline)

Sensitization Non-sensitizer (Estimate) (OECD Guideline)

Germ cell mutagenicity Ames test: Negative

Carcinogenicity No data available

Reproductive Toxicity No data available

STOT - single exposure No data available

STOT - repeated exposure No data available

Aspiration hazard No data available

Other Information No data available

SECTION 12: Ecological information

GL EN Page 5/7

Issuing date: 12-Sep-2011

Revision date: 24-Apr-2015

Ink Tank for Canon Digital Photo Printer (CYAN)

TI-501C

Toxicity

Ecotoxicity effects

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Dispose of in accordance with local regulations.

SECTION 14: Transport information

<u>UN number</u> None

UN Proper Shipping Name None

<u>Transport Hazard Class</u> None

Packing Group None

Environmental Hazards No special environmental precautions required.

Special Precautions for users None

Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC Code

Not Applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation
(EC) No 1907/2006 Restriction
(EC) No 1005/2009
(EC) No 850/2004

Not regulated
Not regulated
Not regulated

GL EN Page 6/7

Issuing date: 12-Sep-2011

Revision date: 24-Apr-2015

Ink Tank for Canon Digital Photo Printer (CYAN)

TI -501C

(EU) No 649/2012 Not regulated

Australia Information Not classified as hazardous according to criteria of NOHSC:1008.

Not classified as hazardous according to criteria of Work Health and Safety Regulations

2011.

Other Information None

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3

R36 - Irritating to eyes

R41 - Risk of serious damage to eyes

Risk Combination Phrases

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under sections 2 and 3

H318 - Causes serious eve damage

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- IARC: International Agency for Research on Cancer
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- CBI: Confidential Business Information

Issuing date: 12-Sep-2011

Revision date: 24-Apr-2015

Revision Note Entirely revised

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

GL EN Page 7/7