# imageFORCE 710 series

Canon
Delighting You Always

# SPEED AND CONNECTIVITY *WITHOUT COMPROMISE*

imageFORCE 710 series brings together high-speed output, advanced connectivity, and a streamlined design tailored for modern workplaces.

Delivering speeds up to 71 ppm, the 710 Series keeps pace with demanding office tasks while Wi-Fi 6 connectivity brings faster, more reliable wireless performance for effortless integration.

Built for enterprise-level security, imageFORCE 710 Series offers FIPS 140-3 compliance and security environment estimation to help organisations strengthen device protection by recommending optimal configurations and minimising potential risks.

## CONNECTIVITY

Get the option to access cloud platforms like Google Drive and Dropbox directly from the device. Enjoy mobile printing with Canon PRINT, Apple AirPrint and more for ultimate convenience.

## SECURITY

Advanced protection for your data, with features like user authentication and audit logs that help you monitor and mitigate potential risks.

## RELIABILITY

Engineered for optimal performance, with intelligent maintenance tools and long-lasting parts that reduce downtime and maximise uptime.

## SUSTAINABILITY

Built with up to 20% recycled plastic, supported by eco-friendly packaging and lower energy consumption.

**Business Can** Be Simple

# imageFORCE 710 Specifications

## Main Unit

**Machine type**
A4 Monochrome Laser Multifunctional

**Core functions**
Print, Copy, Scan, Send, Store and optional Fax

**Processor**
Dual Core Processor

**Control Panel**
10.1" TFT LCD WSVGA Colour Touch panel

**Memory**
RAM: 4.5GB

**Storage**
SSD (Standard): 256GB

**Interface Connection**
**Network**
Standard: 1000Base-T/100Base-TX/10Base-T
Optional: Wireless LAN (IEEE 802.11a/b/g/n/ac/ax)

**Others**
Standard: USB 2.0 x 1 (Host), USB 3.0 x 1 (Host), USB 2.0 x 1 (Device)
Optional: Serial Interface, Copy Control Interface

**Paper Supply Capacity** (A4, 80gsm)
Standard: 650 sheets
100-sheet Multi-purpose tray
550-sheet Paper cassette x 1
Maximum: 3,200 sheets (with High Capacity Cassette Feeding Unit-D1)

**Paper output capacity** (A4, 80gsm)
500 sheets

**Supported Media Types**
**Multi-purpose tray:**
Thin, Plain, Recycled, Colour, Heavy, Bond, Transparency, Letterhead, Envelope
**Paper Cassette:**
Thin, Plain, Recycled, Colour, Heavy, Bond, Label, Pre-Punched, Letterhead

**Supported Media Sizes**
**Multi-purpose tray:**
Standard size: A4, A5, A5R, A6, B5
Custom size: 76.2 x 127.0 mm to 216.0 x 355.6 mm
Envelopes: COM10 No.10, Monarch, DL, ISO-C5
**Paper Cassette:**
Standard size: A4, A5, A5R, A6, B5
Custom size: 99.0 x 148.0 mm to 216.0 x 297.0 mm

**Supported media weights**
Multi-purpose tray: 60 to 200 gsm
Paper Cassette: 60 to 135 gsm
Duplex: 60 to 120 gsm

**Warm-up Time**
Quick Startup Mode: 4 seconds or less*
** Time from device power-on to when the copy icon appears and is enabled to operate on the touch panel display.*

From Power On: 10 seconds or less*
** Time from device power-on, until copy ready (not print reservation)*

From Sleep Mode: 10 seconds or less

**Dimensions (W x D x H)**
500 x 598 x 617 mm

**Installation Space(W x D)**
1,052 x 823 mm (with left Ink cartridge door open + right door open + the cassette drawer open)

**Weight***
**including regular toner*
Approx. 36kg including toner

## Print Specifications

**Print Speed***
imageFORCE 710
Up to 71 ppm (A4), Up to 113 ppm (A5), Up to 40 ppm (A5R, A6)
imageFORCE 610
Up to 61 ppm (A4), Up to 99 ppm (A5), Up to 35 ppm (A5R, A6)
imageFORCE 520
Up to 52 ppm (A4), Up to 80 ppm (A5), Up to 35 ppm (A5R, A6)
** 1-sided*

**Print Resolution (dpi)**
1,200 × 600
*(*Data processing is 2,400 equivalent x 600, 1,200 x1,200 equivalent)*

**Page description languages**
Standard: UFR II, PCL6/PCL5, Adobe PostScript 3

**Direct Print**
Supported file types: PDF, EPS, TIFF/JPEG, and XPS

**Printing from mobile and cloud**
AirPrint, Mopria, IPP Everywhere, Canon PRINT, uniFLOW Online, Universal Print and Cloud Connector

**OS Standard Printing**
Android *1、Windows® 11 *1、Chrome OS *1、macOS (11.2.2 or later) *2、iOS (15.2 or later) *2、iPadOS *2
**1 Need to select the [Use Mopria] check box [OK]*
**2 Need to select the [Use AirPrint] check box [OK]*

**Fonts**
PS fonts: 136 Roman
PCL fonts: 93 Roman, 10 Bitmap fonts, 2 OCR fonts, Andalé Mono WT J/K/S/T*1 (Japanese, Korean, Simplified and Traditional Chinese), Barcode fonts*2
**1 Optional PCL International Font Set-A1 is required.*
**2 Optional Barcode Printing Kit-D1 is required.*

**Operating System**
UFRII:
Windows®11/Server2016/Server2019/Server2022/Server2025, macOS (10.14 or later)
PCL:
Windows®11/Server2016/Server2019/Server2022/Server2025
PS:
Windows®11/Server2016/Server2019/Server2022/Server2025, macOS (10.14 or later)
PPD: Windows® 11, macOS (10.15 or later)

As of Dec. 2024

## Copy Specifications

**Copy Speed**
imageFORCE 710
Up to 71 ppm (A4), Up to 113 ppm (A5), Up to 40 ppm (A5R, A6)
imageFORCE 610
Up to 61 ppm (A4), Up to 99 ppm (A5), Up to 35 ppm (A5R, A6)
imageFORCE 520
Up to 52 ppm (A4), Up to 80 ppm (A5), Up to 35 ppm (A5R, A6)
** 1-sided*

**First-Copy-Out Time (A4)**
Approx. 5 seconds or less

**Copy resolution (dpi)**
600 x 600

**Multiple Copies**
Up to 9,999 copies

**Copy Density**
Automatic or Manual (9 Levels)

**Magnification**
Variable zoom: 25% to 400% (1% Increments)

## Scan Specifications

**Type**
Single-pass Duplexing Automatic Document Feeder* [2-sided to 2-sided (Automatic)]
** Multi-Sheet Feed Detection is supported.*

**Document Feeder Paper Capacity (80 gsm)**
up to 100 Sheets

**Document Feeder acceptable paper weight**
Document Feeder media weight:
1-sided scanning: 42 to 128 gsm (BW), 64 to 128 gsm (CL)
2-sided scanning: 50 to 128 gsm (BW), 64 to 128 gsm (CL)

**Note:**
Business card: 80 to 220 gsm
Original width narrower than A6 except business card: 50 to 128 gsm
Long Original(over than 355.6mm): 60 to 90gsm

**Supported media sizes**
Platen scanning size: up to 216.0 x 355.6 mm

Document Feeder media size:
A4, A5R, A6, B5
Custom size: 48.0 x 128.0 mm to 216.0 x 355.6 mm
Business card: 48.0 x 85.0 mm to 55.0 x 91.0 mm

**Scan Speed (ipm: A4)**
Send (300 x 300 dpi):
Automatic Colour Select "OFF":
1-sided Scanning: 95
2-sided Scanning: 190
Automatic Colour Select "ON":
1-sided Scanning: 50
2-sided Scanning: 100

**Copy:**
Scan Speed Priority (300x600dpi: default)
1-sided Scanning: 95
2-sided Scanning: 140

**Scan Resolution (dpi)**
600x600

**Pull Scan Specifications**
Colour Network ScanGear2. For both TWAIN and WIA
Supported OS: Windows® 10/11/Server 2016/Server 2019/Server 2022/Server 2025

## Send Specifications

**Destination**
Standard: E-mail/Internet FAX (SMTP*), SMB, FTP, WebDAV, Mail Box
Optional: Super G3 FAX, IP Fax
** Available OAuth 2.0 authentication method on Microsoft 365 and Google Workspace*

**Address Book**
LDAP (2,000)/Local (1,600)/Speed dial (200)

**Communication protocol**
File: FTP (TCP/IP), SMB3.1.1 (TCP/IP), WebDAV
E-mail/I-Fax: SMTP, POP3

**File Format**
TIFF, JPEG, PDF (Compact, Searchable, Optimize for Web, PDF A/1-b, Trace & Smooth, Encrypted, Device Signature, User Signature), XPS (Compact, Searchable, Device Signature, User Signature), Office Open XML (PowerPoint, Word)

## Fax Specifications

**Maximum Number of Connection Lines**
1

**Modem Speed**
Super G3: 33.6 kbps
G3: 14.4 kbps

**Compression Method**
MH, MR, MMR, JBIG

**Resolution (dpi)**
400 x 400 (Ultra Fine), 200 x 400 (Super Fine), 200 x 200 (Fine), 200 x 100 (Normal)

**Sending/Receiving Size**
Sending: A4, A5R*, A6*, B5*
Receiving: A4, A5*, A5R, B5
** Sent as A4*

**FAX memory**
Up to 30,000 pages (2,000 jobs)

**Speed dials**
Max. 200

**Group dials/destinations**
Max. 199 dials

**Sequential broadcast**
Max. 256 addresses

**Memory backup**
Yes

## Store Specifications

**Mail Box (Number supported)**
100 User Inboxes,
1 Memory RX Inbox,
50 Confidential Fax Inboxes
Maximum 30,000 Pages (2,000 jobs) Stored

**Advanced Box**
Communication Protocol: SMB or WebDAV
Supported Client PC: Windows® 11
Concurrent Connections (Max.): SMB:64, WebDAV:3

**Advanced Box available disc space**
Standard: 16 GB

## Environmental Specifications

**Operating Environment**
Temperature: 10 to 30 °C
Humidity: 20 to 80 % RH
(Relative Humidity/No condensation)

**Power source**
220-240 V, 50/60 Hz, 4.8 A

**Power consumption**
Maximum: Approx. 1,500 W
Sleep mode: Approx. 0.36 W*
** 0.36 W sleep mode is not available in all circumstances due to certain settings.*

## Consumables

**Toner Cartridges**
T03 Black

**Toner Yield**
51,500 *(A4)
** Toner cartridge yield in accordance with ISO/IEC 19752*

# Configuration Output Options*

## Cassette Feeding Unit–AR1

- Supports up to A4
- Media Weight 60-135 gsm
- 550 sheets (80 gsm)
- Floor standing

## Cassette Feeding Unit–AX1

- Supports up to A4
- Media Weight 60-135 gsm
- 3 x 550 sheets (80 gsm)
- Floor standing

## High Capacity Cassette Feeding Unit–D1

- Supports up to A4
- Media Weight 60-135 gsm
- 1 x 550 sheets (80 gsm)
  1 x 2,000 sheets (80 gsm)
- Floor standing

## Cassette Module–AG1

- Supports up to A4
- Media Weight 60-135 gsm
- 550 sheets (80 gsm)
- Desktop

## Envelope Cassette-A1

- Media Weight 80 to 100 gsm
- 75 Sheets ( Envelope)
- Desktop

*Paper capacity may vary with different paper type/size.

Partner / Dealer Stamp

To arrange for a demonstration, simply contact our office below.

**SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS**

Canon Singapore Pte. Ltd. | 1 Fusionopolis Place #14-10 Galaxis Singapore 138522
Tel: 65-6799 8888 | Fax: 65-6799-8882 | https://asia.canon/ | https://sg.canon/

This document is for general information only and contents are subject to change without notice. Errors and omissions excepted. Weights and dimensions are approximates. Options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations in connection with this document. Trademarks belong to their respective owners.

Canon, imageFORCE, MEAP, eMaintenance, iW and Business Can Be Simple are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon multifunction and single function printers. Other names may be the trademarks of their respective owners. uniFLOW is an independent party software distributed by Canon Singapore Pte Ltd.

Adobe, LiveCycle, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe in the United States and/or other countries.

2025 Canon Singapore Pte. Ltd.
All rights reserved. Printed in Singapore.